

ARCHITECTURAL PAVERS



TABLE OF CONTENTS

CUSTOMIZATION	07	GRANITEX.....	39
H-SERIES	08	LOK-DOWN SYSTEM.....	41
ASHLAR PATTERNS FOR THE H-SERIES	10	OCEAN VIEW.....	42
QUATTRO SERIES.....	12	SAND SERIES.....	43
ECOPREMIER.....	13	SERIES SESTO™	44
ESTATE	15	STONEY CREEK	45
ESTATE II.....	16	TEXTURED GRANITE.....	46
GALAXY - NEW.....	17	ULTRAFACE	47
FRONTIER - NEW	19	WASHED GLASS	48
RIDGELINE - NEW	20	APEX - NEW	49
RIVERSIDE - NEW.....	21	BRILLIANCE - NEW.....	49
V-SERIES	22	RIVERBEND - NEW.....	50
ASHLAR PATTERNS FOR THE V-SERIES.....	24	TIMBER - NEW	51
AURORA.....	27	THIN PAVERS.....	52
BALLAST	28	COASTAL.....	53
BLASTED GLASS.....	29	GRANITE	54
DETECTABLE WARNING ADA PAVERS	31	RIVER	55
ECOPREMIER.....	32	ROOF DECK PEDESTAL SYSTEM	56
EXPOSTONE.....	33	APPLICATION CHART	60
EXPRESSIONS	35	PHOTO INDEX.....	63
EXTERIOR TERRAZZO.....	37		




WHO WE ARE

In 1953, Edward Creske founded Wausau Tile with a simple formula for success: quality and service. With Ed's unwavering commitment to quality and personalized customer service, Wausau Tile has forged lasting partnerships with many architects, designers and companies worldwide. Our company has never wavered from Ed's founding values which has ensured that the name Wausau Tile is synonymous with American craftsmanship, dependability and innovation.

Throughout the past six decades, Wausau Tile has grown to become the preeminent manufacturer of architectural concrete, terrazzo and metal products. We were the first American manufacturer of cementitious terrazzo tile and among the first domestic producers of hydraulically pressed concrete pavers. Today we are a leader in innovative sustainable manufacturing practices, using recycled materials and green technology, and our products are found in virtually every community in the United States.

Wausau Tile is the trusted choice for many of the world's leading designers, engineers and building professionals. Whether they're creating projects on Main Street U.S.A. or at iconic destinations such as Mount Rushmore or the Guggenheim, they choose to partner with our collaborative, creative and responsive team time and time again.



OUR ARCHITECTURAL PAVERS

As the industry's premier manufacturer of concrete architectural pavers, Wausau Tile is building on a decades-old legacy. More than 40 years ago, Wausau Tile began crafting the strongest, longest-lasting concrete pavers one could find, all with a reputation for impeccable quality and service. Today, Wausau Tile proudly upholds that commitment to quality and service while bringing the industry's finest pavers to all-new heights.

Exclusive four-color blending allows for one-of-a-kind gradients and the complete creative control to customize color palettes. We have more than 73 molds (H-Series) and 74 mold combinations (V-series) which allow us to offer a perfect fit for every job. We will even work with you to create custom colors and sizes to fit your project needs. With innovative technologies, Wausau Tile's self-spacing lugs help us cut installation time and costs. Our Lok-Down wind uplift resistance system keeps rooftop decks safe from hurricane-condition wind speeds. All of Wausau Tile's pavers are subject to rigorous testing, manufactured to meet the industry's tightest performance tolerances.

With state-of-the-art manufacturing technology and a 100,000 square-foot production facility, Wausau Tile's high-performance pavers are being made bigger and stronger – including unmatched 9,500 PSI ratings – with unique colors, size and custom capabilities.

Wausau Tile pavers provide the perfect foundation for any vision. Let's start creating something today!



OUR COMPLEMENTARY PRODUCTS



SITE FURNISHINGS

Our vast selection of benches, chairs, tables, bollards, planters, waste and recycling containers, and other furnishings guarantee durability, functionality and affordability. Explore our diverse offerings, which are built to weather the rigors of any environment and stand the test of time.



CUSTOM PRECAST CONCRETE

Concrete wall panels, columns, bases, retaining walls, piers, coping and balustrades are just a glimpse into our capabilities. The applications are endless – no one has more experience at solving complex custom concrete design challenges like Wausau Tile.



ALUMINUM ROOFTOP PLANTERS

Wausau Tile offers a unique solution for rooftop planters. Our lightweight, aluminum planters can either be placed on top of the pavers and pedestals or easily installed directly on the pedestals - which eliminates any concerns about water or dirt stains. No matter which method is chosen, either will work perfectly with the typical spacing of our roof deck system. Complete your rooftop design with our vast product offerings in site furnishing and custom precast concrete.

*See back cover for more Wausau Tile products.
See pg. 56 for our Roof Deck Pedestal System.*



Times Square | New York, NY | Custom UltraFace & Textured Granite Pavers

CUSTOMIZATION

At Wausau Tile, we have a large selection of colors, sizes, textures and finishes for you to choose from to fit any space, inside or out. However, we know that sometimes our customers are looking for an exact color match to an existing piece or something extra special. There is no need to settle, we will achieve the look you desire within your projects budget and set it apart from the others. Let Wausau Tile collaborate with you on your next project and together we will create something special just for you. Start here today!

Colors: Select a matrix color using a Benjamin Moore, Pantone, Sherwin Williams or RAL color.

Aggregates: Wausau Tile has over 650 standard aggregates at our disposal for you to choose from.

Finishes:

- H Series – Smooth, Blasted, Wood grain
- V Series – Smooth, Blasted, Wood grain, Washed
- The use of custom mats allows you to create custom looks like stone, broom, pebbles, etc.

Sizes: If you don't find the right size for you, we also offer custom sized pavers to fit your needs through our cutting or mold program.

Thicknesses: Our paver thicknesses range from 1" - 4", offering you a variety of different installation methods.

Custom matching: To create a custom match we will need a physical sample to match.



Epic Headquarters | Verona, WI | Custom Water Jet Cutting



Fresh Water Park | Milwaukee, WI | Custom Water Jet Cutting



Custom design impression paver




Collins & 12th Crosswalk | Miami Beach, FL | Custom Estate II Colored Pavers



WAUSAU TILE H-SERIES

TECHNICAL ADVANTAGES

- Industry leading strength - 9,500 psi
- Paver thicknesses from 1 5/8" – 4" thick
- Spacing lugs on the pavers for ease of installation
- Quick Ship program available



Eisenhower Recreation Center | The Villages, FL | Frontier Pavers



65th St. Apartments | Sacramento, CA | Estate II Pavers




Ameristar Casino | St. Louis, MO | Estate II Pavers


STANDARD SIZES

Pavers range in thickness from 1 5/8" - 4" depending on the size. Each Wausau Tile paver series is also available in a variety of standard and custom plank-style paver sizes.


SQUARES



RECTANGLES



PLANKS



GEOMETRIC



TECHNICAL INFORMATION

PROPERTY	ADVANCED TESTING VALUE	TEST METHOD
Compressive Strength	> 9,500 PSI avg. with no individual unit less than 8,000 PSI	ASTM C 140
Water Absorption	< 4.5%	ASTM C 140
Flexural Strength	> 1,800 pound average	ASTM C 140
Freeze/Thaw	< 1% loss of dry weight (100 cycles)	ASTM C 1262
Center Load	2,000 lbs.	WTCL 99

Testing based on 24"x24"x2" pressed paver



ASHLAR PATTERNS

Give any paving project an elaborate, one-of-a-kind look with Wausau Tile’s Ashlar Patterns, available in all colors and finishes.



MOD-1

PAVER SIZE	THICKNESS
12 x 12	2"
12 x 24	2"
24 x 24	2"

MOD-2

PAVER SIZE	THICKNESS
12 x 12	2" & 3"
24 x 24	2" & 3"

MOD-3

PAVER SIZE	THICKNESS
12 x 12	2" & 4"
12 x 24	2" & 4"

MOD-4

PAVER SIZE	THICKNESS
12 x 12	2"
12 x 24	2"
24 x 24	2"

MOD-5

PAVER SIZE	THICKNESS
12 x 12	2"
12 x 24	2"
24 x 24	2"

MOD-6

PAVER SIZE	THICKNESS
12 x 12	2"
12 x 24	2"
24 x 24	2"

MOD-7

PAVER SIZE	THICKNESS
6 x 12	2", 2 3/4", & 3"
6 x 24	2", 2 3/4", & 3"
24 x 24	2", 2 3/4", & 3"

MOD-8

PAVER SIZE	THICKNESS
6 x 12	2", 2 3/4", & 3"
6 x 24	2", 2 3/4", & 3"
24 x 24	2", 2 3/4", & 3"

MOD-9

PAVER SIZE	THICKNESS
6 x 12	2", 2 3/4", & 3"
6 x 24	2", 2 3/4", & 3"
24 x 24	2", 2 3/4", & 3"



Courtyard by Marriott | El Paso, TX | Quattro Series Pavers

QUATTRO SERIES

The Quattro Series combines the beauty of porcelain with the proven performance of Wausau Tile’s concrete architectural pavers, featuring our exclusive four-color blending technology. Wausau Tile is the only domestic manufacturer capable of producing pavers with this state-of-the-art process, which brings even the most complex color schemes to life. The Quattro series is available in ten standard colors and custom four-color blending that offers endless possibilities. All ten standard colors are available in four different finishes: blasted, unblasted, slate and woodgrain.




HBL-710



HBL-715



HBL-720



HBL-725



HBL-730



HBL-740



HBL-745



HBL-750



HBL-760




HBL-765




Redemption Square | Houston, TX | Ecopremier H-Series Pavers

ECOPREMIER

Wausau Tile’s EcoPremier pavers feature 100% recycled porcelain aggregate with a surface that mimics the look of finely bush-hammered limestone. Usage of the EcoPremier line may also help you qualify for LEED credit.




HEP-10



HEP-20




HEP-30




HEP-40



HEP-50



HEP-60



HEP-70



ESTATE

Estate offers 14 standard colors that feature a subtle, classic style and durable pressed-concrete surface, making it a practical pick for endless applications.



*HCB Pavers have a minimum of 78% Solar Reflectance (SRI)
High Reflective Colors (additional cost)



HRT-15




HRT-20




HRT-25




HRT-27




HRT-30




HRT-32




HRT-34



HRT-36




HRT-38



HRT-40



HRT-50



HRT-60



*HCB-15 SRI 85



*HCB-20 SRI 82



US Naval Base | San Diego, CA | Estate II Pavers

ESTATE II

Estate II pavers have a non-blast finish for a modern look.



HNB-15




HNB-20




HNB-25




HNB-30



HNB-40



HNB-50



HNB-60

NEW PRODUCT

GALAXY

Galaxy pavers bring a sparkle to the Riverside line by adding glitter rock to the mix, which makes its appearance stand out. Features uniform slip resistance and the strength to be used in pedestal systems with several standard color options available.



HGL-15



HGL-20



HGL-30



HGL-33



HGL-35




HGL-40



HGL-50



HGL-60



HGL-65

PHOTO DISCLAIMER

Due to camera limitations, our product images for our glitter line have been digitally altered to highlight the glitter affect. Please request a free sample to experience the true effect of our product.



FRONTIER

Similar to Expressions, Frontier pavers are made by coloring the cement matrix with small- to medium-sized aggregate. Housing 16 standard colors with the option to customize, they offer a large variety of design opportunities.



HFT-10




HFT-12



HFT-15




HFT-17



HFT-20



HFT-25




HFT-30




HFT-35



HFT-40




HFT-60



HFT-65



HFT-70



HFT-80



HFT-85



HFT-90



HFT-95




University of Florida | Gainesville, FL | Ridgeline Pavers

RIDGELINE

Ridgeline pavers extend the Textured Granite line featuring a timeless look and versatility of igneous rock with a stunning standard color palette inspired by the impressive variety of nature’s minerals.




HRL-15



HRL-20




HRL-25



HRL-30




HRL-35



HRL-37



HRL-40



HRL-50




HRL-60




Myriad Gardens | Oklahoma City, OK | Riverside Pavers

RIVERSIDE


Similar to Sand Series, Riverside pavers are made by coloring the cement matrix with standard-sized aggregate. Featuring uniform slip resistance, Riverside pavers offer incredible value with appealing standard color options.




HRS-15




HRS-20




HRS-30




HRS-33




HRS-35




HRS-40



HRS-50



HRS-60



HRS-65

Color swatches are for reference only and are not intended to be used for final color matching. Free samples are available by request.



WAUSAU TILE V-SERIES

TECHNICAL ADVANTAGES

- Paver thicknesses from 1 3/4" – 3" thick
- Ability to achieve an exposed stone look
- Custom surfaces and textures are available
- Ability to use larger aggregates
- Lok-Down pavers for high winds



Pan American Hotel | Wildwood Crest, NJ | Washed Glass Pavers



Kiener Plaza | St. Louis, MO | Exterior Terrazzo Pavers




Epic Headquarters | Verona, WI | Timber Pavers


STANDARD SIZES

All pavers available in thickness ranging from 1 3/4" - 3" on certain sizes. In addition to these standard sizes, each Wausau Tile paver series is available in a variety of standard and custom plank-style paver sizes.

SQUARES



RECTANGLES



COMING SOON



GEOMETRIC - AVAILABLE IN:

- BLASTED GLASS
- SERIES SESTO™
- ECOPREMIER
- EXPRESSIONS
- EXTERIOR TERRAZZO
- TEXTURED GRANITE
- OCEAN VIEW
- STONEY CREEK
- SAND SERIES

TECHNICAL INFORMATION

PROPERTY	ADVANCED TESTING VALUE	TEST METHOD
Compressive Strength	> 8,000 PSI avg. with no individual unit less than 7,500 PSI	ASTM C 140
Water Absorption	< 6%	ASTM C 140
Flexural Strength	> 1,200 pound average	ASTM C 140
Freeze/Thaw	< 1% loss of dry weight (100 cycles)	ASTM C 1262
Center Load	1,850 lbs.	WTCL 99

Testing based on 24"x24"x2" pressed paver





United States Military Academy | West Point, NY | Stoney Creek Pavers

ASHLAR PATTERNS

Give any paving project an elaborate, one-of-a-kind look with Wausau Tile's Ashlar Patterns, available in all colors and finishes.





MOD-1





PAVER SIZE	THICKNESS
12 x 12	2" - 2 3/4"
12 x 24	2" - 2 3/4"
24 x 24	2" - 2 3/4"

MOD-2





PAVER SIZE	THICKNESS
12 x 12	2" - 2 3/4"
24 x 24	2" - 2 3/4"

MOD-3





PAVER SIZE	THICKNESS
12 x 12	2" - 2 3/4"
12 x 24	2" - 2 3/4"
24 x 24	2" - 2 3/4"

MOD-4





PAVER SIZE	THICKNESS
12 x 12	2" - 2 3/4"
12 x 24	2" - 2 3/4"
24 x 24	2" - 2 3/4"

MOD-5



PAVER SIZE	THICKNESS
12 x 12	2" - 2 3/4"
12 x 24	2" - 2 3/4"
24 x 24	2" - 2 3/4"

MOD-6



PAVER SIZE	THICKNESS
12 x 12	2" - 2 3/4"
12 x 24	2" - 2 3/4"
24 x 24	2" - 2 3/4"



Xcel Energy Plaza | Minneapolis, MN | Aurora Pavers




Xcel Energy Plaza | Minneapolis, MN | Aurora Pavers

AURORA

Aurora series is a new blend of aggregate that contains glitter rock. This unique natural aggregate adds glamour to the paver without compromising its strength. The effect achieved when light catches the glitter is similar to sprinkling the ordinary paver with actual glitter. The camera does not capture the elegance of the six standard colors, so please request a free sample to see for yourself how this beautiful paver will fit into your design plans.




VAR-10




VAR-25




VAR-35



VAR-40



VAR-50



VAR-70

Color swatches are for reference only and are not intended to be used for final color matching. Free samples are available by request.



Pacific Design Center | West Hollywood, CA | Ballast Pavers

BALLAST

Ballast pavers are high in quality and strength, providing a durable walkable surface while protecting your waterproofing membrane.



B-10

STANDARD SIZES



24" sq.

Pavers available in thickness of 2".




One Hawthorne | San Francisco, CA | Blasted Glass Pavers

BLASTED GLASS


Finding a beautiful, yet green alternative paver is not hard at Wausau Tile. The Blasted Glass series is made with recycled glass aggregate and includes a number of impossible-to-miss looks.




BG-10




BG-20



BG-30



BG-40




BG-50



DETECTABLE WARNING ADA PAVERS


Made from pressed concrete and available in twelve standard colors, Wausau Tile's Detectable Warning ADA-2 pavers are State of California Title 24 compliant and designed to keep streets safe. Also available in a flat finish.



A-10




A-20




A-30




A-40



A-50




A-60




A-70




A-80



A-90



A-100




A-110




A-120

ADA PATTERNS



ADA-2



DIRECTIONAL BAR



TACTILE WARNING

STANDARD SIZES



24" sq.



12" sq.


Pavers available in thickness ranging from 2" - 2 3/4" depending on the size.



TAMU Cain Hotel | College Station, TX | Ecopremier V-Series Pavers

ECOPREMIER

Wausau Tile's EcoPremier pavers feature 100% recycled porcelain aggregate with a surface that mimics the look of finely bush-hammered limestone. Usage of the EcoPremier line may also help you qualify for LEED credit.




EP-10



EP-20



EP-30



EP-40



EP-50



EP-60



EP-70




Foundry Square | San Francisco, CA | Expostone Pavers

EXPOSTONE

The ExpoStone line features distinctive, raised-rock surfaces with a series of looks that vary from lakeshore to volcanic and desert rock. Expostone is especially popular near riverwalks, piers and other elevated surfaces.




ES-10




ES-203



ES-303



ES-403



ES-50



EXPRESSIONS

The Expressions series' softer palette is made by coloring the cement matrix with small to medium-sized aggregate. These strong, economical pavers feature a uniform, slip-resistant surface and can be installed on-grade or on roof decks using Wausau Tile's exclusive pedestal system.




XP-10



XP-20




XP-30




XP-40




XP-50




XP-60




XP-70




XP-80



XP-90



XP-100



XP-110



XP-120



Celebreeze Plaza | Cleveland, OH | Exterior Terrazzo Pavers

EXTERIOR TERRAZZO

Exterior Terrazzo marries the elegant ground finish of interior terrazzo – can be made to match existing tile – with the durability of concrete pavers, making it a popular pick for transitioning from outdoor to indoor settings. The Exterior Terrazzo series can be installed in any standard paver method or mortar set with grouted joints for a monolithic look.



Pavers available in thickness ranging from 2" - 2 7/8" depending on the size.

**Sealed*



*ET-10




*ET-20



*ET-30



*ET40




*ET-50

Color swatches are for reference only and are not intended to be used for final color matching. Free samples are available by request.



GRANITEX

Made from pressed concrete and exposed natural granite aggregates, Granitex pavers offer a color for every taste with a dozen mineralogy-inspired styles. Arguably Wausau Tile’s signature paver line, the beauty of Granitex micro-exposed finish never seems to fade.



GTX-10



GTX-20



GTX-30



GTX-40



GTX-50



GTX-60



GTX-70



GTX-80



GTX-90



GTX-100



GTX-110



GTX-120



LOK-DOWN SYSTEM

Make the most of rooftop spaces with the proven factor of safety offered by Wausau Tile’s Lok-Down wind-uplift resistance system.

Savvy designers and builders know: With Wausau Tile’s innovative roof deck systems, there’s no reason to sacrifice rooftop space or worry about the security of deck pavers. The Lok-Down System is specifically designed to resist wind uplift in paver installations on balconies, plazas and promenades – tested to withstand wind speeds of more than 145 miles per hour.



LOK-DOWN SYSTEM CAP COLORS

Custom colors available in top plate and screw.



LD_10 Cream



LD_20 Tan



LD_30 Gray



LD_40 Brown



LD_50 Red



LD_60 Black



LD_White




LOK-DOWN SYSTEM




STANDARD SQUARE TOP PLATE


STANDARD SIZES THAT CAN BE USED



24" x 48"



30" sq.



24" sq.

Thickness ranging from 2" - 2 1/2" depending on the size.

CAN ONLY BE USED WITH THE FOLLOWING V-SERIES:

BLASTED GLASS, ECOPREMIER, EXPRESSIONS, EXTERIOR TERRAZZO, OCEAN VIEW, SAND SERIES, SERIES SESTO™, STONEY CREEK, TEXTURED GRANITE, TIMBER, ULTRAFACE

Color swatches are for reference only and are not intended to be used for final color matching. Free samples are available by request.



Frank Hagel Federal Building | Richmond, CA | Ocean View Pavers


OCEAN VIEW

Ocean View pavers – also referred to as shell, shell aggregate, seashell, or coral pavers – are made from hydraulically pressed concrete and bring laid-back beach styles inland, offering a series of subtle and versatile colors.




Pavers available in thickness ranging from 2" - 2 7/8" depending on the size.


*Sealed




*SEA-10




*SEA-20



*SEA-30



*SEA-40



*SEA-50




LINQ Hotel Casino | Las Vegas, NV | Sand Series Pavers

SAND SERIES

Sand Series colors are made by coloring the cement matrix with standard-sized aggregate. Featuring uniform slip resistance and strength, the Sand Series line offers incredible value.




SS-10



SS-20



SS-30



SS-40



SS-50



Mint Plaza | San Francisco, CA | Series Sesto™ Pavers




VÉLO Apartments | Minneapolis, MN | Stoney Creek Pavers

SERIES SESTO™


Series Sesto™ pays tribute to the Longinotti Group and its home of Sesto Fiorentino known locally as just Sesto, a municipality in Florence, Italy where the Longinotti Group is located. Series Sesto™ uses large size aggregates for both indoor (terrazzo tile) and outdoor (paver) applications.




Pavers available in thickness ranging from 2" - 2 7/8" depending on the size.
**Unsealed*




*SSP-510




*SSP-520



*SSP-530



*SSP-540




*SSP-550



*SSP-560



*SSP-570



*SSP-580



*SSP-590

STONEY CREEK

Made from pressed concrete, Stoney Creek pavers are available in a variety of factory-sealed, mottled colors with simulated natural stone surfaces – offering rock-solid style at a fraction of the investment.



**Sealed*




*SC-10




*SC-20



*SC-30



*SC-40



*SC-50




*SC-60



Columbia Square | Los Angeles, California | Textured Granite

TEXTURED GRANITE

Textured Granite pavers feature the timeless look and versatility of igneous rock, with a standard color palette inspired by the impressive variety of nature's minerals.




UG-10



UG-20




UG-30



UG-40



UG-50




UG-60




LECOM School of Dental | Bradenton, FL | UltraFace Pavers

ULTRAFACE


The UltraFace line features a subtle, classic style and a durable pressed-concrete surface, making it a practical pick for endless applications – its clean, solid look makes it a fashionable pick for custom-color creations.




UF-15




UF-20




UF-25




UF-30




UF-35



UF-40



UF-50



UF-60




Vilano Beach | Vilano Beach, FL | Washed Glass Pavers

WASHED GLASS


Washed Glass pavers features a recycled glass aggregate that may help you qualify for LEED credit, resulting in a series that’s as sustainable as it is stunning and one that can perfectly complement any paving project.




WG-10




WG-20



WG-30



WG-40



WG-50

APEX - *COMING SOON*

Apex offers a light washed paver with and acid etch look.



BRILLIANCE

Brilliance is made up of a glitter aggregate with a washed finish that allows the glitter to resonate in the light – a must see in person product.



BR-15



BR-17



BR-19



BR-20



BR-30



BR-33



BR-35



BR-40




BR-60



BR-65

PHOTO DISCLAIMER


Due to camera limitations, our product images for our glitter line have been digitally altered to highlight the glitter affect. Please request a free sample to experience the true effect of our product.



Ogden Plaza | Chicago, IL | Riverbend Pavers

RIVERBEND

Riverbend has a modern, lightly exposed sandstone look giving superior slip-resistant qualities with a more natural overall appearance.



RB-20




RB-30



RB-40



RB-50



RB-60



RB-70



Epic Headquarters | Verona, WI | Timber Pavers

TIMBER

The Timber line gives you the classy look of wood without the upkeep, making it a low cost, long-term solution.



TB-10



TB-15




TB-30



TB-40



TB-45



TB-50



WAUSAU TILE THIN PAVERS


TECHNICAL ADVANTAGES

- Offer a solution to paving when you have height restrictions
- Lightly ground and blasted finish
- 13 lbs per square foot
- Available in custom finishes
- Thin set/Mortar set installation only

STANDARD SIZES

All pavers are available in 1" thickness. Each Wausau Tile paver series is also available in a variety of standard and custom plank-style paver sizes.

SQUARES



RECTANGLES



TECHNICAL INFORMATION


PROPERTY	ADVANCED TESTING VALUE	TEST METHOD
Compressive Strength	> 9,500 PSI avg. with no individual unit less than 8,500 PSI	ASTM C 140
Water Absorption	< 5%	ASTM C 140
Flexural Strength	> 800 PSI avg.	ASTM C 293-14
Freeze/Thaw	Passes Freeze Thaw	ASTM C 1262




San Francisco Premium Outlets | Livermore, CA | Coastal Pavers

COASTAL


The Coastal series incorporates actual sea shells with a blasted finish. This line is strongly recommended for thin set and mortar set installations only.




LP-30




LP-31



LP-32



LP-33



LP-34



LP-35

Color swatches are for reference only and are not intended to be used for final color matching. Free samples are available by request.




Rosemary Square | West Palm Beach, FL | Granite Pavers



The Principal Riverwalk | Des Moines, IA | River Pavers

GRANITE

The Granite series offers crushed granite with a blasted finish. This line is strongly recommended for thin set and mortar set installations only.




LP-20



LP-21




LP-22



LP-23




LP-24




LP-25

RIVER


The River series adds river rock to the paver with a blasted finish. This line is strongly recommended for thin set and mortar set installations only.



LP-10




LP-11




LP-12



LP-13



LP-14



LP-15

WAUSAU TILE TERRA SYSTEM ONE



ROOF DECK PEDESTAL SYSTEM

The Terra System One pedestal system helps to navigate the challenges of a pitched surface with ease, designed for roof deck applications as well as roof plazas, parking garages, roof terraces and more.

This system provides a level surface for installation of concrete pavers over a pitched surface from $\frac{1}{8}$ " to 21 $\frac{1}{2}$ ". It also ensures precise paver alignment with even spacing to allow drainage and air circulation critical to the health of a deck installed over any waterproof membrane. It allows for easier access to the subsurface for scheduled maintenance or repairs without damage to the paved surface.

TERRA-STAND

Adjustable pedestal that screws up, down and tilts from side to side to provide a level surface for the paver installation.

TerraStand Pedestals are made of a high impact copolymer polypropylene that adjust from 3" to 21 $\frac{1}{2}$ " in height, with slope compensating up to $\frac{5}{8}$ " to provide a level installation.

Outside base dimension of 7" x 7" provides contact surface of 49" square. It is installed on previously established grid lines, adjusted for height and slope and ready for installation. Average compressive strength of 3,000 pounds per pedestal.



LOK DOWN:

Mechanism designed for areas where high-wind conditions exist. Pavers are locked together to create a rafting effect. The Lok Down system can be used in conjunction with TerraStand pedestals or waffle reducers. Several colors are available to match pavers.



WAFFLE REDUCER

Waffle Reducers are manufactured to accommodate height adjustments of $\frac{1}{2}$ " to 3". With Terra Tab placed on top, the unit consists of one base with 3 pieces of $\frac{3}{8}$ " waffle rings and 2 pieces of $\frac{3}{4}$ " waffle rings. An outside base diameter of 6" provides surface contact of 28 square inches. The waffle reducer is made of high impact copolymer polypropylene.





TERRA-TAB

Terra-Tabs allow for perfect spacing between paver joints. They allow for expansion, air circulation, drainage and precise paver alignment. Available in the following sizes:

#5 - 3/8" thick, 5" sq, 3/16" wide spacer

#5a - 3/8" thick, 5" sq, 1/8" wide spacer

Terra-Tabs are used in conjunction with Terra Stand Pedestals and Waffle reducers. They can be used by itself when no elevation or leveling is needed.



TERRA-SHIM PLATES

Manufactured to coincide with Terra-Tab sizes. Irregularities in deck sub-surfaces will increase the number of shims required.

#5 - 1/16" thick, 5" sq.

#5 - 1/8" thick, 5" sq.

#5 - 1/4" thick, 5" sq.

Terra-Tabs and Terra-Shims can be set directly on the waterproof membrane, on an optional protection pad or insulation without harm.



RUBBER SPACERS

Allows for 1/8", 3/16" or 1/4" spacing; used in conjunction with Terra-Shim plates.



TERRA-PAD

Terra-Pad is an 8" x 8" x 1/8" rubber protection pad which can be used under the Terra Stand and Waffle reducer to protect your waterproof membrane.



BLOK HANDLE

Made of 10-gauge HRCQ steel, Blok Handles are available for 12", 18" and 24" Terra-Pavers. Precise sizing of the handle provides for easy manipulation during installation without harm to the paver or other components, while allowing for 3/16" (4.76 mm) joints. The handle also makes removal easy should repairs to subsurface components be necessary.



BIG-BLOK HANDLE

Made of steel, unit is adjustable to work with 24", 30" and 36" pavers. Requires two people to operate.

Optional wheel attachment that allows for a one man operation is available.



PAVER APPLICATION

Installation Method Rating

This chart is for general reference only. Job site situations may change installation recommendations. Please contact a sales representative for more information.

	PRODUCT SIZE IN INCHES	THICKNESS IN INCHES	PEDESTRIAN - NO MAINTENANCE VEHICLES	PEDESTRIAN - WITH MAINTENANCE VEHICLES	LIGHT VEHICULAR F150 PICK UP TRUCK	MODERATE VEHICULAR H 10-20 LOADING
H - SERIES	3 x 12	2	S	BTM	X	X
	3 x 12	4	S	S	S	S
	4 x 4	3	S	S	S	S
	4 x 8	3	S	S	S	S
	4 x 8	3P	S	S	S	S
	4 x 12	2	S	S	X	X
	4 x 12	4	S	S	S	S
	6 x 6	3	S	S	S	S
	6 x 12	2	S	S	BTM	X
	6 x 12	2 3/4	S	S	TM	TM
	6 x 12	3	S	S	BTM	TM
	6 x 12	4	S	S	S	S
	6 x 18	2	S	BTM	X	X
	6 x 18	2 3/4	S	BTM	TM	X
	6 x 18	4	S	S	BTM	TM
	6 x 24	2	S	BTM	X	X
	6 x 24	2 3/4	S	BTM	X	X
	6 x 24	4	S	S	TM	TM
	6 x 36	2 3/4	BTM	TM	X	X
	6 x 36	4	S	S	TM	X
	8 x 24	2	S	BTM	X	X
	8 x 24	2 3/4	S	BTM	TM	X
	8 HEX	2	S	S	BTM	X
	9 x 12	3	S	S	S	BTM
	9 x 12 Permeable	3	S	S	S	BTM
	12 x 12	2	S	S	TM	X
	12 x 12	3	S	S	BTM	BTM
	12 x 12	4	S	S	S	S
	12 x 18	2 3/4	S	BTM	BTM	X
	12 x 24	2	S	BTM	X	X
	12 x 24	3	S	S	BTM	BTM
	12 x 24	4	S	S	BTM	TM
	12 x 48	2 3/4	S	BTM	X	X
	12 x 48	4	S	S	TM	X
	15 x 30	2	S	BTM	X	X
	18 x 18	2	S	BTM	X	X
	18 x 36	2 3/4	S	BTM	X	X
	24 x 24	2	S	BTM	X	X
	24 x 24	2 3/4	S	BTM	X	X
	24 x 36 w/ False Joint	2	S	X	X	X
	24 x 48	2 3/4	S	BTM	X	X
	27 1/2 x 29 3/4	3	S	S	BTM	X
	30 x 30	2 3/4	S	BTM	X	X
	36 x 36	2 3/4	S	TM	X	X
	40 x 40	3	S	BTM	BTM	X
	42 x 42	4	S	S	TM	X
	WOOD GRAIN	6 x 12	S	BTM	TM	X
		6 x 20	S	BTM	TM	X
		6 x 28	S	BTM	TM	X
		12 x 16	S	BTM	TM	X
		12 x 24	S	BTM	TM	X
		12 x 40	S	BTM	TM	X
V - SERIES		6 x 12	S	S	X	X
		6 x 12	S	S	BTM	TM
		6 x 12	S	S	BTM	TM
		6 x 16	S	B	TM	X
		6 x 16	S	S	TM	X
		8 HEX	S	S	TM	X
		8 HEX	S	S	S	TMB
		8 x 12	S	S	X	X
		8 x 12	S	S	BTM	TM
		9 x 12 Permeable	S	S	S	BTM
		12 x 12	S	S	X	X
		12 x 12	S	S	BTM	TM
		12 x 12	S	S	BTM	BTM
		12 x 24	S	B	X	X
		12 x 24	S	B	BTM	X
		12 x 24	S	S	BTM	BTM
		16 x 16	S	B	X	X
		16 x 16	S	S	TM	X
		16 x 36	S	B	X	X
		16 x 36	S	B	TM	X
		18 x 18	S	BTM	X	X
		18 x 18	S	B	TM	X
		18 x 24	S	B	X	X
		18 x 24	S	B	TM	X
		24 x 24	S	B	X	X
		24 x 24	S	B	TM	X
		24 x 48	S	BTM	X	X
		24 x 48	S	BTM	X	X
		30 x 30	S	B	X	X
		36 x 36	S	B	X	X

Sand Set*	S
Bituminous	B
Thin Set	T
Mortar Set	M
No Application	X

*All Sand Set installations can utilize Bituminous, Thin Set, and Mortar Set Applications.

PRODUCT SIZE IN INCHES	THICKNESS IN INCHES	PEDESTRIAN - NO MAINTENANCE VEHICLES	PEDESTRIAN - WITH MAINTENANCE VEHICLES	LIGHT VEHICULAR F150 PICK UP TRUCK	MODERATE VEHICULAR H 10-20 LOADING
3 x 12	2	S	B	TM	X
3 x 12	2 1/4	S	B	TM	X
3 x 12	2 1/2	S	BTM	TM	X
3 x 12	2 3/4	S	S	BTM	X
3 x 18	2	B	BTM	TM	X
3 x 18	2 1/4	S	B	TM	X
3 x 18	2 1/2	B	BTM	TM	X
3 x 18	2 3/4	S	BTM	BTM	X
3 x 24	2 1/2	B	TM	X	X
3 x 24	2 3/4	B	TM	X	X
4 x 12	2	S	B	TM	X
4 x 12	2 1/4	S	BTM	TM	X
4 x 12	2 1/2	S	B	BTM	X
4 x 12	2 3/4	S	S	BTM	X
4 x 16	2 3/4	S	BTM	TM	X
4 x 18	2	S	B	TM	X
4 x 18	2 1/4	S	BTM	TM	X
4 x 18	2 1/2	S	B	TM	X
4 x 18	2 3/4	S	BTM	TM	X
4 x 24	2 1/2	BTM	TM	X	X
4 x 24	2 3/4	B	BTM	X	X
6 x 6	2 1/4	S	S	BTM	X
6 x 9	2	S	S	TM	X
6 x 18	2	S	BTM	TM	X
6 x 18	2 1/4	S	BTM	TM	X
6 x 18	2 1/2	S	BTM	TM	X
6 x 18	2 3/4	S	BTM	TM	X
6 x 24	2	S	BTM	TM	X
6 x 24	2 1/4	S	BTM	TM	X
6 x 24	2 1/2	S	BTM	TM	X
6 x 24	2 3/4	S	BTM	TM	X
6 x 30	2 1/2	B	BTM	X	X
6 x 30	2 3/4	B	BTM	X	X
6 x 36	2 3/4	B	BTM	X	X
8 x 16	2	S	S	TM	X
8 x 16	2 1/4	S	BTM	TM	X
8 x 16	2 1/2	S	BTM	TM	X
8 x 24	2	S	BTM	TM	X
8 x 24	2 1/4	S	BTM	TM	X
8 x 24	2 1/2	S	BTM	TM	X
8 x 24	2 3/4	S	S	TM	X
8 x 30	2 1/4	BTM	BTM	X	X
8 x 30	2 1/2	B	BTM	X	X
8 x 30	2 3/4	S	BTM	TM	X
8 x 36	2 1/2	B	BTM	X	X
9 x 18	2 3/4	S	BTM	TM	X
12 x 18	2 1/4	S	BTM	TM	X
12 x 30	2 1/4	BTM	BTM	X	X
12 x 30	2 1/2	B	BTM	X	X
12 x 36	2 1/2	B	BTM	X	X
12 x 36	2 3/4	S	BTM	X	X
12 x 48	2 1/2	B	BTM	X	X
12 x 48	2 3/4	S	BTM	X	X
15 x 30	2 1/2	B	BTM	X	X
15 x 30	2 3/4	S	BTM	TM	X
18 x 24	2 1/4	S	BTM	X	X
18 x 36	2 1/2	B	BTM	X	X
18 x 36	2 3/4	S	BTM	X	X

PHOTO INDEX

#	PROJECT NAME	CITY	STATE	PRODUCT	PAGE
1	Cortex Innovation Community	St. Louis	MO	Ridgeline Pavers	Cover
2	Miller Park	Chattanooga	TN	Frontier Pavers	4
3	Times Square	New York	NY	Custom UltraFace & Textured Granite Pavers	6
4	Epic Headquarters	Verona	WI	Custom Water Jet Cutting	7
5	Fresh Water Park	Milwaukee	WI	Custom Water Jet Cutting	7
7	Collins and 12th Crosswalk	Miami Beach	FL	Custom Estate II Colored Pavers	7
8	EisenHower Recreation Center	The Villages	FL	Frontier Pavers	8
9	65th St. Apartments	Sacramento	CA	Estate II Pavers	8
10	Ameristar Casino	St. Louis	MO	Estate II Pavers	9
11	Sarasota Memorial Hospital	Sarasota	FL	Estate Pavers	10
12	Sarasota Memorial Hospital	Sarasota	FL	Estate Pavers	11
13	Courtyard by Marriott	El Paso	TX	Quattro Series Pavers	12
14	Redemption Square	Houston	TX	Ecopremier H-Series Pavers	13
15	Rosemary Square	West Palm Beach	FL	Estate Pavers	14
16	US Naval Base	San Diego	CA	Estate II Pavers	16
17	Las Olas	Fort Lauderdale	FL	Frontier Pavers	18
18	University of Florida	Gainesville	FL	Ridgeline Pavers	20
19	Myriad Gardens	Oklahoma City	OK	Riverside Pavers	21
20	Pan American Hotel	Wildwood Crest	NJ	Washed Glass Pavers	22
21	Kiener Plaza	St Louis	MO	Exterior Terrazzo Pavers	22
22	Epic Headquarters	Verona	WI	Timber Pavers	23
23	United States Military Academy	West Point	NY	Stoney Creek Pavers	24
24	United States Military Academy	West Point	NY	Stoney Creek Pavers	25
25	Xcel Energy Plaza	Minneapolis	MN	Aurora Pavers	26
26	Xcel Energy Plaza	Minneapolis	MN	Aurora Pavers	27
27	Pacific Design Center	West Hollywood	CA	Ballast Pavers	28
28	One Hawthorne	San Francisco	CA	Blasted Glass	29
29	CA Transit Lite Rail	Sacramento	CA	ADA Pavers	30
30	TAMU Cain Hotel	College Station	TX	Ecopremier V-Series Pavers	32
31	Foundry Square	San Francisco	CA	Expostone Pavers	33
32	100 Federal Street	Boston	MA	Expressions Pavers	34
33	Celebreeze Plaza	Cleveland	OH	Exterior Terrazzo Pavers	36
34	Celebreeze Plaza	Cleveland	OH	Exterior Terrazzo Pavers	37
35	Meredith Corp.	Des Moines	IA	Granitex Pavers	38
36	Coronado Hotel	Clearwater	FL	Lok-Down Pavers	40
37	Frank Hagel Federal Building	Richmond	CA	Ocean View Pavers	42
38	LINQ Hotel Casino	Las Vegas	NV	Sand Series Pavers	43
39	Mint Plaza	San Francisco	CA	Series Sesto™ Pavers	44
40	VÉLO Apartments	Minneapolis	MN	Stoney Creek Pavers	45
41	Columbia Square	Los Angeles	CA	Textured Granite	46
42	LECOM School of Dental	Bradenton	FL	UltraFace Pavers	47
43	Vilano Beach	Vilano Beach	FL	Washed Glass Pavers	48
44	Ogden Plaza	Chicago	IL	Riverbend Pavers	50
45	Epic Headquarters	Verona	WI	Timber Pavers	51
46	San Francisco Premium Outlets	Livermore	CA	Coastal Pavers	53
47	Rosemary Square	West Palm Beach	FL	Granite Pavers	54
48	The Principle Riverwalk	Des Moines	IA	River Pavers	55


TO PURCHASE THE PRODUCTS IN THIS CATALOG CONTACT:



PO Box 1520 | Wausau, WI 54402-1520
wtile@wausautile.com | 800.388.8728




CUSTOM PRECAST CONCRETE



CUSTOM PRECAST TERRAZZO



SITE FURNISHINGS



TERRAZZO TILE

TO VIEW OUR ENTIRE PRODUCT LINE VISIT WAUSAUTILE.COM